



ARCHSKIRT
ALUMINIUM PARTITIONS

Archskirt Vision Panel

An innovative pre-glazed design that enables installation without any fixing on new and existing doors.
Available in 6.38mm and 10.38mm glass. To suit a wide range of door thicknesses, from 32mm to 48mm.



In depth product characteristics and application benefits:

- Easily adjustable for a range of door thicknesses, from 32mm to 48mm
- Various stock sizes with 6.38mm glass and a natural anodised finish are available for fast delivery
- A wide channel with 10.38mm glass is available for enhanced acoustic insulation and added security
- Custom sizes and powder coated finishes are available upon request
- Meet OHS requirements and increase safety with clear sight through doors, whilst allowing a natural transfer of light between rooms and corridors
- Economical alternative that allows easy installation into existing doors
- Innovative pre-glazed design with no tooling required makes it ideal for DIY installation and allows installers to save time on-site
- Custom designed stainless steel clips ensure a strong locking mechanism that actually lasts
- Universal application for all residential, commercial and industrial spaces
- Aesthetically pleasing design for entry doors


The Archskirt Vision Panel System is the recommended solution in a range of applications.

Ideal for rooms that require visual access such as school classrooms, university lecture halls, executive conference rooms; as well as various applications within the healthcare industry. By enhancing visibility between different types of rooms and corridors, the Archskirt Vision Panel will increase safety and reduce the risk of injury.


Stock Sizes

Available in 6.38mm clear laminate glass. Stock sizes have a natural anodised finish.
 10.38mm clear laminate glass, custom sizes, and powder coated finishes are made to order.

Please note that the stock sizes shown are the dimensions for the actual door cut out size.



Installation Instructions



Cross section view, engaged panel


Step 1: Cut out for 600x300 vision panel

Step 1: (Only if applicable) Cut hole in the door to the exact size of the vision panel, as shown in the image above. For example, a 600x300 vision panel requires a 600x300mm cut out.

Step 2: Insert the glazed aluminium frame into the door first.

Step 3: Slide the internal frame from the opposite side of the door.

Step 4: Feel for the clips to engage and keep pushing until both of the panels clamp onto the door as shown below.



Glazed aluminium frame



Internal frame

